

TUB S P 200 NANO BASE

Code	03.0321.8.930.BK
Color	Black
Input Wattage	8 W
Luminaire luminous flux	558 Lm
Luminaire efficacy	70 lm/W
CCT	3000K
CRI	>90
Voltage (V)	220-240V, 50/60Hz
Warranty	5 Years
IP Grade	IP20

OPTICAL

Type	CREE LED
Aiming	Fixed
Light beam angle	50°
Light distribution	Symmetric


ELECTRICAL

Driver	Included
Power system	9 W
Output Current	700mA
Output Voltage	3V-13V
Dimming	NO DIM
Input Voltage	220-240V
Input Frequency	50-60Hz
Dimension LxWxH(mm)	59x25x20
Protection type	IP20
Construction material	Plastic
Driver mounting	Remote
Ta °C	-20°C to 45°C
Tc °C	90°C



OTHER DATA

Cutout dimension (mm)	Ø39mm
Recommended height (mm)	75mm
Fixings Hardware	Plastic clip
Mounting	Pendant / Ceiling recessed trimless
Construction material	Aluminium / Polycarbonate
Operating Ambient Temp.	-20 to 40 °C
Weight	0.513 kg
Gross weight	0.677 kg

CERTIFICATIONS



DIMENSIONS



ACCESSORY



TRIMLESS TOOL



HONEYCOMB




LENS

NANO ACCESSORY

Model NANO TRIMLESS TOOL
Category Accessories
Code 01.39TOLS.C




DIMENSIONS CUTOUT




TUB S ACCESSORY

Model HONEYCOMB TUB S
Category Accessories



Code 06.A03HC
Color Black




TUB S ACCESSORY

Model LENS TUB S
Category Accessories



Code 06.A03LS24
Light beam angle 24°
Color Transparent



Code 06.A03LS32
Light beam angle 32°
Color Transparent

