IN_LINE WIN

Code	06.win.3.930.DALI.BK
Color	Black
Input Wattage	3 W
Luminaire luminous flux	180 Lm
Luminaire efficacy	60 lm/W
CCT	3000K
CRI	>90
Voltage (V)	48V
Warranty	5 Years
IP Grade	IP20

DIMENSIONS



OPTICAL

Type	CREE LED
Light beam angle	27°
Light distribution	Symmetric

ELECTRICAL

Driver	Included
Power factor	0.8
LED input Voltage (nominal)	9V
LED input Current (nominal)	350mA
Dimming	DALI
Electrical insulation class	Class III

OTHER DATA

Track type	IN_LINE TRACK 48V DC
Swivel angle	—
Rotation angle	355°
Materials	Aluminium / Polycarbonate
Weight	0.35 kg
Gross weight	0.39 kg

ACCESSORY

IN_LINE TRACK
48V OPTIONS

CERTIFICATIONS

LTX LIGHTING SOLUTIONS
LTX-LED.com
Lightonix sp. z o.o.
Ul Hoza, 86 lok. 410
00-682 Warszawa, Poland
Telephone: +48 516 808 834
E-mail: info@ltx-led.com



IN_LINE TRACK T

	Code	Dimensions (mm): LxWxH	Color
IN_LINE TRACK T 48V **2m***	**06.T200.BK**	2000 x 40 x 54	Black
IN_LINE TRACK T 48V **3m***	**06.T300.BK**	3000 x 40 x 54	Black
IN_LINE CORNER T HR*	**06.T90HR.BK**	85 x 85 x 54	Black
IN_LINE END CAP T*	**06.TECAP.BK**	40 x 7.5 x 54	Black
Mounting bracket*	**06.TCB.BK**		Black
IN_LINE TRACK T MEC JOINT*	**06.TLNCON**		Black

***Electrical connection not included**

IN_LINE CORNER R HR



MOUNTING BRACKET

IN_LINE TRACK T MEC JOINT*







IN_LINE TRACK R

	Code	Dimensions (mm): LxWxH	Color
IN_LINE TRACK T 48V **2m***	**06.R200.WH**	2000 x 30 x 54	White
IN_LINE TRACK T 48V **2m***	**06.R200.BK**		Black
IN_LINE TRACK T 48V **3m***	**06.R300.WH**	3000 x 30 x 54	White
IN_LINE TRACK T 48V **3m***	**06.R300.BK**		Black
IN_LINE CORNER R HR *	**06.R90HR.WH**	82 x 82 x 54	White
IN_LINE CORNER R HR *	**06.R90HR.BK**		Black
IN_LINE CORNER R IN *	**06.R90IN.WH**	82 x 82 x 54	White
IN_LINE CORNER R IN *	**06.R90IN.BK**		Black
IN_LINE CORNER R OUT *	**06.R90OUT.WH**	82 x 82 x 54	White
IN_LINE CORNER R OUT *	**06.R90OUT.BK**		Black
IN_LINE END CAP R/S *	**06.R/SECAP.WH**	30 x 4 x 54	White
IN_LINE END CAP R/S *	**06.R/SECAP.BK**		Black

***Electrical connection not included**

IN_LINE CORNER R HR



IN_LINE CORNER R IN



IN_LINE CORNER R OUT



CERTIFICATIONS

LTX LIGHTING SOLUTIONS
LTX-LED.com
Lightonix sp. z o.o.
Ul Hoza, 86 lok. 410
00-682 Warszawa, Poland
Telephone: +48 516 808 834
E-mail: info@ltx-led.com





IN_LINE TRACK S

	Code	Dimensions (mm): LxWxH	Color
IN_LINE TRACK S 48V **2m***	**06.S200.WH**	2000 x 30 x 54	White
IN_LINE TRACK S 48V **2m***	**06.S200.BK**		Black
IN_LINE TRACK S 48V **2m***	**06.S200.LG**		Like gold
IN_LINE TRACK S 48V **2m***	**06.S200.LB**		Like brass
IN_LINE TRACK S 48V **3m***	**06.S300.WH**	3000 x 30 x 54	White
IN_LINE TRACK S 48V **3m***	**06.S300.BK**		Black
IN_LINE CORNER S HR *	**06.S90HR.WH**	58 x 58 x 54	White
IN_LINE CORNER S HR *	**06.S90HR.BK**		Black
IN_LINE CORNER S HR *	**06.S90HR.LG**		Like gold
IN_LINE CORNER S HR *	**06.S90HR.LB**		Like brass
IN_LINE CORNER S IN *	**06.S90IN.WH**	82 x 82 x 54	White
IN_LINE CORNER S IN *	**06.S90IN.BK**		Black
IN_LINE CORNER S OUT *	**06.S90OUT.WH**	82 x 82 x 54	White
IN_LINE CORNER S OUT *	**06.S90OUT.BK**		Black
IN_LINE CORNER 90	**06.SE90HR.WH**	70 x 70 x 54	White
IN_LINE CORNER 90	**06.SE90HR.BK**		Black
IN_LINE CORNER 180	**06.SE180HR.WH**	110 x 30 x 54	White
IN_LINE CORNER 180	**06.SE180HR.BK**		Black
IN_LINE CORNER X	**06.SEQHR.WH**	110 x 110 x 54	White
IN_LINE CORNER X	**06.SEQHR.BK**		Black
IN_LINE CORNER 120	**06.SE120HR.WH**	116 x 60 x 54	White
IN_LINE CORNER 120	**06.SE120HR.BK**		Black
IN_LINE CORNER T (right)	**06.SETRHR.WH**	110 x 70 x 54	White
IN_LINE CORNER T (right)	**06.SETRHR.BK**		Black
IN_LINE CORNER T (left)	**06.SETLHR.WH**	110 x 70 x 54	White
IN_LINE CORNER T (left)	**06.SETLHR.BK**		Black
IN_LINE END CAP R/S *	**06.R/SECAP.WH**	30 x 4 x 54	White
IN_LINE END CAP R/S *	**06.R/SECAP.BK**		Black
IN_LINE END CAP R/S *	**06.R/SECAP.LG**		Like gold
IN_LINE END CAP R/S *	**06.R/SECAP.LB**		Like brass

***Electrical connection not included**

IN_LINE CORNER R HR



IN_LINE CORNER R IN



IN_LINE CORNER R OUT



IN_LINE CORNER 90



IN_LINE CORNER 180



IN_LINE CORNER X



IN_LINE CORNER 120



IN_LINE CORNER T (left)



IN_LINE CORNER T (right)



CERTIFICATIONS

LTX LIGHTING SOLUTIONS
LTX-LED.com
Lightonix sp. z o.o.
Ul Hoza, 86 lok. 410
00-682 Warszawa, Poland
Telephone: +48 516 808 834
E-mail: info@ltx-led.com





IN_LINE SHORT TRACK S

	Code	Dimensions (mm): LxWxH	Color
IN_LINE SHORT TRACK S 48V **3m** with caps (2pcs)*	**06.SS300.WH**	3000 x 30 x 37	White
IN_LINE SHORT TRACK S 48V **3m** with caps (2pcs)*	**06.SS300.BK**		Black
IN_LINE SHORT CORNER S HR*	**06.SS90HR.WH**	58 x 58 x 27	White
IN_LINE SHORT CORNER S HR*	**06.SS90HR.BK**		Black
IN_LINE SHORT END CAP*	**06.SSCAP.WH**	30 x 3 x 37	White
IN_LINE SHORT END CAP*	**06.SSCAP.BK**		Black

***Electrical connection not included**

IN_LINE SHORT CORNER S HR



ALL 48V TRACK IN_LINE

IN_LINE LIVE END 600



	Code	Dimensions (mm): LxWxH	Color
Feed cable	**06.SLE60.WH**	600	White
	06.SLE60.BK	600	Black

IN_LINE LIVE END 1500



	Code	Dimensions (mm): LxWxH	Color
Feed cable	**06.SLE150.WH**	1500	White
	06.SLE150.BK	1500	Black

IN_LINE ELECTRICAL JOINT



	Code	Color
Electrical joint live end for track, without cable	**06.SLE00.WH**	White
	06.SLE00.BK	Black

IN_LINE ELECTRICAL JOINT FLEX



	Code	Color
Electrical joint flex connector for tack	**06.S2LE60.WH**	White
	06.S2LE60.BK	Black

CERTIFICATIONS

LTX LIGHTING SOLUTIONS
LTX-LED.com
Lightonix sp. z o.o.
Ul Hoza, 86 lok. 410
00-682 Warszawa, Poland
Telephone: +48 516 808 834
E-mail: info@ltx-led.com

ALL 48V TRACK IN_LINE

IN_LINE MEC JOINT



	Code	Color
Mechanical linear connector for track	**06.R/SLNCON**	Black

IN_LINE COVER R/S



	Code	Dimensions (mm): LxWxH	Color
Track cover for Recessed & Surface	**06.R/SCOV200.WH**	2000 x 26 x 5	White
	06.R/SCOV200.BK		Black
	06.R/SCOV300.WH	3000 x 26 x 5	White
	06.R/SCOV300.BK		Black

IN_LINE SUSP KIT

	Code	Dimensions (mm): LxWxH	Color
Suspension	**06.SS150.WH**	1500 x 26 x 5	White
	06.SS150.BK		Black
	06.SS150.ZZ		Steel

CERTIFICATIONS

LTX LIGHTING SOLUTIONS
LTX-LED.com
Lightonix sp. z o.o.
Ul Hoza, 86 lok. 410
00-682 Warszawa, Poland
Telephone: +48 516 808 834
E-mail: info@ltx-led.com

ALL 48V TRACK IN_LINE

POWER SUPPLY DIMMING



Code	Dimensions (mm): LxWxH	Power Watt	Color
28001233	235 x 100 x 31	75	White
28001044	235 x 100 x 31	150	White

CE IP20 48V

POWER SUPPLY DIMMING

Code	Dimensions (mm): LxWxH	Power Watt	Color
28000815	360 x 40 x 21	75	White/Grey
28001235	360 x 40 x 21	150	White/Grey

CE IP20 48V

CERTIFICATIONS

LTX LIGHTING SOLUTIONS LTX-LED.com
Lightonix sp. z o.o.
Ul Hoza, 86 lok. 410
00-682 Warszawa, Poland
Telephone: +48 516 808 834
E-mail: info@ltx-led.com